

AMBULANCE INSPECTION AND EQUIPMENT LIST
MINIMUM REQUIRED EQUIPMENT

DATE: _____ TOTAL POINTS THIS SECTION: _____
 TIME: _____
 SQUAD NAME: _____

VAVRS AMBULANCE CLASS ---

INSPECTION

- _____ CURRENT STATE INSPECTION STICKER
 _____ CURRENT EMS UNIT CERTIFICATION
 _____ NO SMOKING SIGN IN PATIENT COMPARTMENT
 _____ CURRENT EMT CARD (EACH PERSON, EXCEPT DRIVER)
 _____ CURRENT VIRGINIA DRIVER'S LICENSE (DRIVER ONLY)
 _____ EVOC OR DEFENSIVE DRIVER CERTIFICATION (DRIVER ONLY)
 _____ CURRENT LICENSE PLATES OR PERMIT (AT LEAST POSTED ON REAR)
- _____ ENGINE OIL LEVEL
 _____ RADIATOR LEVEL (WITHIN 1" OF TOP) OR CORRECT LEVEL IN RESERVOIR TANK
- _____ TIRE CONDITION – GOOD
- _____ BATTERY LEVEL
 _____ BATTERY POSTS – CLEAN
 _____ FAN BELTS – CONDITION – GOOD
 _____ WIRING HARNESS – CONDITION – GOOD - SECURE
- _____ OVERALL CONDITION OF ENGINE COMPARTMENT – CLEAN – GOOD
- _____ HEAD LIGHTS HIGH AND LOW BEAM
 _____ CLEARANCE LIGHTS (EXTERIOR) (IF REQUIRED)
 _____ TURN SIGNAL FRONT AND REAR
 _____ BACK UP WARNING SIGNAL
 _____ WARNING LIGHTS (EMERGENCY)
- _____ CAB LIGHT (INTERIOR DOME)
 _____ MAP LIGHT (IN ADDITION TO DOME)
 _____ FLOOD LIGHTS – SIDE AND REAR (FIXED)
 _____ INTERIOR BODY LIGHTS (CLEAR OR FROSTED LENS ONLY)
 _____ SPOTLIGHT – 1 (HAND HELD OR MOUNTED)
- _____ SPARE FUSES FOR LIGHTING/ELECTRICAL SYSTEMS (ASSORTED AMPS)
- _____ SIREN – ELECTRIC OR ELECTRONIC
 _____ HORN (ELECTRIC OR AIR)
 _____ FLOOR SIREN SWITCH OR HORN RING SWITCH
- _____ OVERALL CLEANLINESS (OUTSIDE OF VEHICLE – ALLOW FOR WEATHER)
 _____ CLEANLINESS OF PATIENT COMPARTMENT – GOOD
- _____ EQUIPMENT NOT MOUNTED OVER COT STRETCHER ON ROOF OF PATIENT
 COMPARTMENT (UNLESS HANGING STRETCHER HARDWARE OR IV HOOKS)
 _____ CONDITION AND CLEANLINESS OF ALL GLASSES AND MIRRORS AND LIGHTS
 _____ CAN FIRST AID EQUIPMENT AND SUPPLIES BE REACHED AND USED WHILE
 VEHICLE IS UNDERWAY WITH MAXIMUM NUMBER OF PATIENTS ABOARD
- REVISED 4/2008

AMBULANCE INSPECTION AND EQUIPMENT LIST

_____ FUEL TANK ABOVE THE ¾ FULL MARK (EXCEPT – CREDIT TO BE GIVEN IF UNIT HAS BEEN ON

DISPLAY INSIDE CONVENTION CENTER)

- _____ SEAT BELTS – CAB COMPARTMENT (2 SETS)
- _____ SEAT BELTS – PATIENT COMPARTMENT (3 SETS)
- _____ ALL PORTABLE ITEMS IN PATIENT COMPARTMENT SECURE
- _____ SHARP INTERIOR CORNERS PADDED
- _____ AIR CONDITIONING AND HEAT FOR BOTH DRIVER AND PATIENT COMPARTMENT
- _____ MEANS OF COMMUNICATION BETWEEN PATIENT AND DRIVER COMPARTMENT

EQUIPMENT

NOTE NO CREDIT GIVEN FOR LESS THAN QUANTITY SPECIFIED

- _____ 1 FIRST AID KITS – BELOW ITEMS REQUIRED IN BOTH KITS
- _____ 24 STERILE GAUZE PADS, 4 X 4 INCH
- _____ 12 ROLLS – ROLLER BANDAGE (ASSORTED SIZES)
- _____ 4 ROLLS ADHESIVE TAPE
- _____ 6 TRIANGULAR BANDAGES
- _____ 6 LARGE SAFETY PINS
- _____ 12 BAND AIDS – 1 INCH
- _____ 12 TONGUE DEPRESSORS
- _____ 1 BANDAGE SHEARS – 5 ½ INCH MINIMUM
- _____ 2 MOUTH GAGS (BITE STICKS) EITHER COMMERCIALY OR
OF THREE BLADES TOGETHER AND PADDED
- _____ 1 RING CUTTER
- _____ 1 SPHYGMOMANOMETER AND STETHOSCOPE (PORTABLE TYPE) (MAY BE CARRIED
OUTSIDE FIRST AID KIT)

- _____ 1 ADULT TRACTION SPLINT WITH ANKLE HITCH AND HEEL STAND ADJUSTABLE TYPE
ACCEPTABLE OR HALF RING

- _____ 1 CHILD TRACTION SPLINT WITH ANKLE HITCH AND HEEL STAND ADJUSTABLE TYPE
ACCEPTABLE OR HALF RING

- _____ 4 PADDED BOARD SPLINTS – 2 EACH: 15-24”; 2 EACH 36-54”

- _____ 2 BACK BOARDS, LONG OR ORTHOPEDIC TYPE STRETCHER, 2 OF 1
TYPE OR 1 OF EACH

- _____ 1 PRIMARY OXYGEN SYSTEM – WITH FLOW METER

- _____ 4 NON REBREATHER MASKS (2 ADULT AND 2 CHILD)

- _____ 4 CANNULAS (2 ADULT AND 2 CHILD)

- _____ 1 PORTABLE OXYGEN UNIT IN ADDITION TO ABOVE (“D” SIZE MINIMUM)
- _____ 1 SPARE OXYGEN CYLINDER (“D” SIZE MINIMUM)

- _____ 2 NON REBREATHER MASKS (1 ADULT & 1 CHILD) TO BE CARRIED WITH PORTABLE O2
- _____ 2 NASAL CANNULA (1 ADULT & 1 CHILD) TO BE CARRIED WITH PORTABLE O2 UNIT

- _____ 2 BAG VALVE MASKS (HAND OPERATED BAG MASK) – 1 ADULT AND 1 CHILD WITH O2
SUPPLY TUBES FOR EACH AND CLEAR FACE MASK (1 ADULT & 1 CHILD)
(MAY BE CARRIED ELSEWHERE ON UNIT)

- _____ SUCTION UNIT PORTABLE
- _____ 4 FRENCH CATHETERS, DISPOSABLE (ASSORTED SIZES)

REVISED 4/2008

AMBULANCE INSPECTION AND EQUIPMENT LIST

- _____ 6 AIRWAYS FOR ADULT AND CHILDREN (ASSORTED SIZES)
- _____ 1000 CC (MINIMUM) NORMAL SALINE SOLUTION (STERILE)
- _____ 4 DRESSING, MULTI-TRAUMA, 8" X 10" (MINIMUM) (STERILE)
- _____ 20 CRAVATS OR TRIANGULAR BANDAGES (IN ADDITION TO THOSE IN FIRST AID KITS)
- _____ 2 COLD PACKS
- _____ 6 DRESSINGS, ABDOMINAL PAD 45 SQUARE INCH (MINIMUM) (STERILE)
- _____ 1 ROLL OCCLUSIVE DRESSING FOR OPEN CHEST WOUNDS, ALUMINUM FOIL, OR PLASTIC WRAP 12 INCHES IN WIDTH MINIMAL
- _____ 6 PAPER CUPS
- _____ 1 PACKAGE DISPOSABLE TISSUE OR PAPER TOWELS
- _____ 2 STERILE BURN SHEETS
- _____ 2 CERVICAL COLLARS
- _____ 4 HAND TOWELS (CLOTH)
- _____ 2 PAIR STERILE GLOVES
- _____ 1 STERILE OBSTETRICAL KIT (SEALED)
- _____ 1 EMESIS BASIN
- _____ 1 RUBBER OR HEAVY PLASTIC SHEET OR BODY BAG, MIN. SIZE OF 36 X 72 INCHES
- _____ 2 SETS CLEAN COT LINEN CONSTRUCTED OF WASHABLE OR DISPOSABLE MATERIAL IN ADDITION TO SET ON COT (SET = 2 SHEETS AND 1 PILLOW CASE)
- _____ 4 BLANKETS (2 DISPOSABLE, 2 WASHABLE MAY BE SUBSTITUTED)
- _____ 1 PILLOW COVERED WITH NONPOROUS MATERIAL
- _____ 1 FOUR WHEELED STRETCHER FOR PRIMARY PATIENT, INCLUDING NONPOROUS COVERED MATTRESS AND PATIENT RESTRAINING STRAPS (MINIMUM 2)
- _____ 2 HAND LANTERNS WITH POWER SOURCE OF AT LEAST 6 VOLTS, INDEPENDENT OF VEHICLE POWER SUPPLY
- _____ 2 FLASH LIGHTS WITH CONE FOR TRAFFIC CONTROL
- _____ 6 HIGHWAY FLARES, NON – SPIKE TYPE, 30 MINUTE SIZE
- _____ 1 FIRE EXTINGUISHER, DRY CHEMICAL, 5 POUND SIZE WITH PRESSURE GAUGE MOUNTED IN QUICK RELEASE TYPE BRACKET EASILY ACCESSIBLE TO DRIVER OR ATTENDANT. MUST HAVE CURRENT INSPECTION TAG AND SEAL.
- _____ HARD HATS (1 PER CREWMAN)
- _____ GOOGLES OR SAFETY GLASSES ANSI APPROVED (1 PER CREWMAN)

REVISED 4/2008

AMBULANCE INSPECTION AND EQUIPMENT LIST

- _____ 1 ADJUSTABLE WRENCH
- _____ 1 SCREW DRIVER, REGULAR BLADE
- _____ 1 SCREW DRIVER, PHILLIPS TYPE
- _____ 1 HACKSAW WITH SIX BLADES
- _____ 1 HAMMER, 2 POUND (MINIMUM)
- _____ 1 PLIERS, VISE GRIP OR CHANNEL LOCK
- _____ 1 WRECKING BAR, 24 INCH (MINIMUM)
- _____ 1 CRASH AXE, OR FIRE AXE
- _____ 1 BOLT CUTTER, 15 INCH MINIMUM OVERALL
- _____ GLOVES, WORK TYPE (1 PAIR PER CREWMAN)
- _____ 1 SET WHEEL CHOCKS
- _____ ROPE – 50 FOOT X ½ INCH (2 EACH) (MANILA OR EQUIVALENT)
- _____ 1 POWER JACK, 4 TON HYDRAULIC WITH SPREADER
- _____ 1 SHOVEL, POINTED BLADE
- _____ 1 CHAIN, 15 FOOT WITH HOOKS, MINIMUM 4000 POUND RATED OR 3/8 INCH
- _____ 1 METAL CUTTING SNIPS
- _____ 10 PIECES 4 X 4 X 18 INCH LONG WOOD CRIBBING OR MANUFACTURED CRIBBING WITH CAPACITY STATEMENT MOLDED IN OR MANUFACTURE SPECIFICATION SHEET
- _____ 10 PIECES 2 X 4 X 18 INCH LONG WOOD CRIBBING OR MANUFACTURED CRIBBING WITH CAPACITY STATEMENT MOLDED OR MANUFACTURE SPECIFICATION SHEET
- _____ STEP CRIBBING MIN. 2” X 6” WITH 6 INCH STEPS LENGTH MIN. 18 INCHES WOOD CRIBBING OR ANY COMPARABLE COMMERCIALY MANUFACTURED STEP CRIBBING WITH CAPACITY STATEMENT MOLDED IN OR A MANUFACTURE SPECIFICATION SHEET (OPTIONAL)
- _____ 4 WOODEN WEDGES
- _____ 1 UTILITY OR LINOLEUM KNIFE
- _____ 1 – CABLE OR CHAIN COME-A-LONG (2 TON RATED MINIMUM)
- _____ RADIO COMMUNICATIONS EQUIPMENT – VEHICLE TO BASE
- _____ RADIO COMMUNICATIONS EQUIPMENT – VEHICLE TO HOSPITAL

TOTAL (RECORD HERE AND ON FRONT PAGE ALL ITEMS COUNT 1 POINT)
